

## CERTIFICATE OF CONSTANCY OF PERFORMANCE

**0809 - CPR - 1156**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### **Self-supporting double skin metal faced insulating panels AST L, AST T, AST S, AST S+, AST F, AST F+ and AST E**

which are self-supporting double skin coil coated insulating panels with mineral wool core and are used in external and internal walls and AST E also in ceilings

produced by

**Paroc Panel System Oy Ab**  
Skräbbölenie 14 – 16  
FI-21600 PARAINEN

and produced in the manufacturing plant

**Paroc Panel System Oy Ab**  
Sysilahden teollisuusalue 2  
FI-21600 PARAINEN

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 14509:2013**

under system 1 or for the performances set out in this certificate are applied and that

**the construction products fulfil all the prescribed requirements for these performances.**

This certificate was first issued on September 30, 2015 and updated on November 17, 2015 will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Espoo November 17, 2015

  
Tiina Tirkkonen  
Product Manager

  
Tiina Ala-Outinen  
Business Manager

**Reaction to fire properties of the panels**

<b>Panel type</b>	<b>Coating</b>	<b>Reaction to fire class</b>
AST L AST T AST S AST S+	Polyester PVDF FoodSafe PVC-laminate Stainless steel	A2-s1, d0
AST F AST F+ AST E	Print and Art coatings	C-s1, d0